S4B Disk Cleaner

Soft4Boost Help

S4B Disk Cleaner

www.soft4boost.com

© Soft4Boost, Ltd., US. All rights reserved

Contact Us

If you have any comments, suggestions or questions regarding **S4B Disk Cleaner** or if you have a new feature that you feel can be added to improve our product, please feel free to contact us.

When you register your product, you may be entitled to technical support.

General information:	info@soft4boost.com
Technical support:	support@soft4boost.com
Sales:	sales@soft4boost.com

Technical Support

S4B Disk Cleaner do not require any professional knowledge. If you experience any problem or have a question, please refer to the **S4B Disk Cleaner Help**. If you cannot find the solution, please contact our support staff.

Note: only registered users receive technical support

S4B Disk Cleaner provides several forms of automated customer support

Soft4Boost Support System You can use the **Support Form** on our site to ask your questions.

E-mail Support

You can also submit your technical questions and problems via e-mail to support@soft4boost.com

Note: for more effective and quick resolving of the difficulties we will need the following information:

Name and e-mail address used for registration System parameters (CPU, hard drive space available, etc.) Operating System Detailed step by step describing of your action

Resources

Documentation for **S4B Disk Cleaner** is available in a variety of formats:

In-product (.chm-file) and Online Help:

You will be able to use help file (.chm) through the **Help** menu of the installed **S4B Disk Cleaner**.

Online Help include all the content from the In-product help file and updates and links to additional instructional content available on the web. You can find the **Support** at our web-site - http://soft4boost.com. Please note, that the most complete and up-to-date version of **S4B Disk** Cleaner help is always on the web.

PDF Documentation

The offline help is also available as a pdf-file that is optimized for printing. PDF help file is available for download at the program page at **Soft4Boost** web-site. To be able to read and print **S4B Disk Cleaner** PDF help file you will need to have a PDF reading program installed.

User Guides

You have access to a wide variety of resources that help you make **S4B Disk Cleaner**. The stepby-step user guides will be of help not only to the novice users but also to the users that face a certain task to be performed and look for a way to do it. Please, visit our **Support** section of **Soft4Boost** web-site at to read the detailed instructions for various software and tasks.

Technical Support

Visit the **Support** at our web-site http://soft4boost.com to ask your questions concerning S4B Disk Cleaner installation, registration and use. Feel free to also use our e-mail address support@soft4boost.com

Downloads

Visit the **Downloads** section of our web-site to find free updates, tryouts, and other useful software. We constantly update the software, new versions of the most popular programs and new software are also frequently released.

Overview

Soft4Boost Disk Cleaner is a free disk utility designed to help you keep your disk clean by removing any unnecessary folders and files. Usually, these unnecessary, or junk files appear as a result of program's incomplete uninstalls, Temporary Internet Files, Recycle Bin Files, Unused Empty Folder, Uninstall programs and search File Duplicates. **Soft4Boost Disk Cleaner**, with its intuitive and easy to use interface, helps you quickly wipe out all the junk files. Using the program is indeed easy. It also works fast when both scanning for files and removing files.

Using Soft4Boost Disk Cleaner you can quickly and easily perform the following tasks:

-Remove the information that is no longer in use, left behind after incomplete uninstallation or incorrect removal of software, or used for a malware activation.

- Get rid of unnecessary temporary files created by different applications and the operating system itself.

- Delete the web browser temporary data called cache.
- Remove shortcuts that refer to invalid locations.
- Empty Recycle Bin instantly.
- Remove unused empty folders.
- Search file duplicates.
- Search and remove toolbars for Windows browsers.
- Uninstall programs.

To start S4B Disk Cleaner go to Start menu and choose All Programs -> Soft4Boost -> Disk Cleaner -> Disk Cleaner

Program Interface

Soft4Boost Disk Cleaner interface is quite simple to use and lets the user perform all the actions with a few mouse clicks. The program **Main Window** looks the following way:

Jse ALL software without any limitations only for \$ 39.95 !	Uninstaller Tuplicate Settings	(i) About
Scan categories:		Stop
Temporary Internet Files	✓ 162 files found	Scanning
🖂 🔣 Unused Empty Folders	Not scanned	Ŧ
🖸 🍏 Junk Files	47 files found details	
🖂 🔞 Broken Shortcuts	🗸 ок	-
🕑 👮 Recycle Bin	4 8 files found	Fix Problems
🔄 🚖 Toolbars and Extensions	-	



Use this button to open the **Settings** window to change the program settings.



Use this button to open the **About the Program** window displaying the information on the program current version and the end-user license agreement.



Use this button to open the **Duplicate Finder** window to search file duplicates.



Use this button to open the Uninstaller window to remove installing programs.

The Status Area lets the user see date and time when the last scanning and fixing were made and know whether scheduling is enabled or not.

The **Category/Result Area** initially contains the list of available categories to scan within. It also displays the found problems in details if the scanning has been performed.

Scanning and Fixing: Overview

The scanning is a fully automated process. This means that the program will do everything itself. But before scanning you should choose categories that will be included into the scan process. Available categories are:

> Temporary Internet Files Unused EmptyFolders Junk Files Broken Shortcuts Recycle Bin

After choosing the categories to scan, click the **Start Scanning** button to initiate the scan process. Once the scanning is over, a result of the found problems will be displayed in the **Category/Result** area. To fix the found problems, click the **Fix Problem** button:

Jse AL lii	L software without any mitations only for \$ 39.95 !	Uninstaller T Duplicate Settings	₹ About ₹
Scan cat	regories:		Ston
	Temporary Internet Files	✓ 162 files found	Scanning
	Unused Empty Folders	Not scanned	÷
e ())	Junk Files	47 files found details	
0	Broken Shortcuts	🖌 ок	-
0 0	Recycle Bin	✓ 8 files found	Fix Problems
2	Toolbars and Extensions	-	

Note: objects currently scanned within a category are shown in the left bottom corner of the Main Window

Temporary Internet Files

The **Temporary Internet Files** category lets scan the special folders used, mainly, by the Internet Explorer browser for storing the cache of web page contents, history of visited pages and cookies.

Before fixing the discovered problems (deleting the browser temporary data), click the **details** link to see all them in particulars:

GET PC Win Booster!	Uninstaller 🔻	Duplicat Finder	e Ŧ	90 Settings	7	() About
Files: 430 Total size: 44,6 MB						
Name		Size	Descrip	tion	14	Start
C: Documents and Settings User. 1-7CCE7444E2A54 Local Settings Temporary Internet File 6		67 Byte				Scanning
C:\Documents and Settings\User. 1-7CCE7444E2A54\Local Settings\Temporary Internet File		67 Byte				÷
C:\Documents and Settings\User.1-7CCE7444E2A54\Local Settings\Temporary Internet File		115 KB			18	
C:\Documents and Settings\User. 1-7CCE7444E2A54\Local Settings\Temp	oorary Internet File,.	123 KB				
C: Documents and Settings User, 1-7CCE7444E2A54\Local Settings \Temporary Internet File					11	Back to
✓ So C:\Documents and Settings\User. 1-7CCE7444E2A54\Local Settings\Temporary Internet File		49 Byte				Categories
C:\Documents and Settings\User. 1-7CCE7444E2A54\Local Settings\Temporary Internet File		0 Byte				-
C: \Documents and Settings \User. 1-7CCE7444E2A54 \Local Settings \Temp	orary Internet File,	0 Byte			U	
C. Documents and Sattings Viser 1-700E7444E2A54Vi ocal Sattings Tem	orary Internet File	0 Byte				

You can uncheck the problems you don't want to be fixed with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

Unused Empty Folders

The Unused Empty Folders category lets scan the local drives for storing the empty folders.

Before fixing the discovered problems (deleting the empty folders), click the **details** link to see all them in particulars:

GET PC Win Booster!	Uninstaller	Ŧ	Duplicate Finder	Ŧ	Settings	Ŧ	(1) About
Problems: 86							
lame						1+	Start
C:\Documents and Settings\User.1-7CCE7444E2A54\.gimp-2.8\palettes\							Scanning
C:\Documents and Settings\User. 1-7CCE7444E2A54gimp-2.8\patterns\							7
C:\Documents and Settings\User.1-7CCE7444E2A54gimp-2.8\plug-ins\							
C:\Documents and Settings\User.1-7CCE7444E2A54\.gimp-2.8\scripts\							
C:\Documents and Settings\User. 1-7CCE7444E2A54\.gimp-2.8\templates	:\						Back to
C:\Documents and Settings\User.1-7CCE7444E2A54\.gimp-2.8\themes\			Categories				
C:\Documents and Settings\User. 1-7CCE7444E2A54gimp-2.8\tmp\				÷			
🛛 💳 C:\Documents and Settings\User, 1-7CCE7444E2A54\.gimp-2.8\tool-optic	ns\					1	
C .\Documents and Settings Iser 1-700E7444E2A54\ cimp-2 8\tool-pres	atel					7	

You can uncheck the problems you don't want to be fixed with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

Junk Files

The **Junk Files** category lets scan the special folders used by different applications and the operating system for storing their temporary data that once served auxiliary purposes and no longer needed in most cases and also find links referring to recently used programs that also may waste free disk space.

Before fixing the discovered problems (deleting the worthless files), click the **details** link to see all them in particulars:

GET PC Win Booster!	Uninstaller	Duplica Finder	te Ŧ	90 Settings	-	() About
Files: 59 Total size: 1,74 MB						
Name		Size	Descrip	tion	1	Start
C:\Documents and Settings\All Users.WINDOWS\Application Data\Avira	AntiVir Desktop \LOG	4,25 KB				Scanning
🗹 📄 C: \Documents and Settings \All Users. WINDOWS \Application Data \Avira \	AntiVir Desktop↓LOG	704 Byte	2		T	÷
C:\Documents and Settings\All Users.WINDOWS\Application Data\Avira	AntiVir Desktop \LOG	1,50 KB			1.0	
C:\Documents and Settings\All Users.WINDOWS\Application Data\Avira	AntiVir Desktop\LOG	27,1 KB				1.5.00
🔄 📄 C: \Documents and Settings \All Users. WINDOWS \Application Data \Avira \	AntiVir Desktop LOG	27,1 KB				Back to
C:\Documents and Settings\All Users.WINDOWS\Application Data\Avira	AntiVir Desktop \REP.	1,61 KB				Categories
🔽 📰 C:\Documents and Settings\All Users.WINDOWS\Application Data\Avira\	AntiVir Desktop \REP.	1,61 KB				+
🗹 📰 C:\Documents and Settings\User. 1-7CCE7444E2A54\Application Data\uT	orrent\dlimagecach.	3,13 KB			U	
C. Documents and Settings Vilser 1-7006744462054 Application Data Vil	orrent\dlimanacadh	57 3 KR				

You can uncheck the problems you don't want to be fixed with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

Broken Shortcuts

The **Broken Shortcuts** category lets scan for shortcuts that refer to non-existent locations but still waste disk space.

Before fixing the discovered problems (deleting the worthless shortcuts), click the **details** link to see all them in particulars:

Soft4Boost Disk Cleane	FUNCTIONS? ET PC Win Bo	oster!	Uninstaller T Duplicate Finder Settings T	About T
Files: 1				
Name Notepad++	Shortcut path Start menu->Program	Description	Executable path C:\Program Files\Wotepad++\notepad++.exe	Start Scanning
	-			Ŧ
				Back to Categories
				-

You can uncheck the problems you don't want to be fixed with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

Recycle Bin

The **Recycle Bin** category lets check the Recycle Bin for files, folders and shorcuts once deleted in a flash including additional information.

Before fixing the discovered problems (emptying the whole Recycle Bin), click the **details** link to see all them in particulars:

Soft4Boost Disk Cleaner	FUNCTIONS? ET PC Win Booster!	Uninstaller +	Duplicate Finder	₹ <mark>%0</mark> Settings	Ŧ	O About
Files: 54 Total size:	1,68 MB					
Name	Original location	Date deleted	Size	Description	14	Start
9085d533.avl	C:\pocuments and Settings\All Users.WINDOWS\Ap	. 25.01.2013 10:	37 4КБ	10.000		Scanning
✓ b34c3a06.avl	C:\Documents and Settings\All Users.WINDOWS\Ap	. 25.01.2013 10:	37 4K5			÷
7C8945DA 1B0 1DEA87C	C:\Documents and Settings\User.1-7CCE7444E2A54.	. 25.01.2013 10:	37 4 KB		18	
AF9AC4972C9E8447D7	C:\Documents and Settings\User.1-7CCE7444E2A54.	. 25.01.2013 10:	37 56 KB		11	
✓ DEA477D3A3792032ED	C:\Documents and Settings\User.1-7CCE7444E2A54.	. 25.01.2013 10:	37 32 KB		1.1	Back to
MSO1033.ad	C:\Documents and Settings\User.1-7CCE7444E2A54.	. 25.01.2013 10:	37 40 KB		11	Categories
DiskCleaner_en.doc	C:\Documents and Settings\User.1-7CCE7444E2A54.	25.01.2013 10:	37 4 KB			-
✓ index.dat	C:\Documents and Settings\User.1-7CCE7444E2A54.	. 25.01.2013 10:	37 4 KB		U	
v esceion vml	C. Documents and Settings !! lear 1-7005744457454	75 01 2013 10.	37 4KE			

You can uncheck the files, folders or shortcuts you don't want to be removed from Recycle Bin with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

Toolbars and Extensions

The **Toolbars and Extensions** category let's check the Windows browsers for toolbars and extensions.

Before fixing the discovered problems, click the **details** link to see all them in particulars:

Use ALL soft limitatio	ware without any ons only for \$ 39.95 !	Uninstaller =	Duplicate Finder	°© Settings [∓]	() About
Problems: 1					
Name	Path C:\Documents and Settings\User.1-7CC	E7444E2A54\Local S	Settings\Application .		Start Scanning
	Add to Ignore is	st			
	Check All Uncheck All				
	Copy to Clipboa	rd			Back to
	Save to File				categories

You can uncheck the toolbars or extensions you don't want to be removed with a mouse click. To select/deselect all the sections including their contents, use the right-click menu **Check All / Uncheck All** items.

To add a toolbar to the ignore list, use the right-click menu **Add to Ignore list** item.

Duplicate Finder

The **Duplicate Finder** category lets find and remove useless duplicate files, stored on your PC.

The **Duplicate Finder** has the MD5 search engine which allows the program to search for duplicate files by content, regardless of other match criteria.

You can check the duplicate files you want to be removed with a mouse click:

ES	AVSRegistryCleaner	ji) blicateTest\	Search Rules: ✓ Ignore File Name		
	ALAST_VERSION_AVS_SKIN		Look for all file Look for these	types file types on	ily
÷	SDK Skins sqlitebrowser_200_b1_win		 ✓ Images ✓ Audio file ✓ Video file 	s v	Archives Applications Documents
Files: 36	Total size: 165 MB	Last Modified	Siz		Start
	D:\Share\FindDublicateTest\1\Copy (2) WoTBooster.exe	12/3/2010 13:42	98	5 KB	Scanning
	D:\Share\FindDublicateTest\1\Copy WoTBooster.exe	12/3/2010 13:42	98	5 KB	
	D:\Share\FindDublicateTest\1\WoTBooster.exe	12/3/2010 13:42	98	5 KB	1
	D:\Share\FindDublicateTest\Copy (2) WoTBooster.exe	12/3/2010 13:42	98	5 KB	
	D:\Share\FindDublicateTest\Copy WoTBooster.exe	12/3/2010 13:42	98	5 KB	
1	D:\Share\FindDublicateTest\WoTBooster.exe	12/3/2010 13:42	98	5 KB	
2	D:\Share\FindDublicateTest\1\Copy (2) Update.xml	3/20/2012 17:29	15	5 KB	
2 👰 🗌	D:\Share\FindDublicateTest\1\Copy Update.xml	3/20/2012 17:29	15	5 KB	-
2 🔮 🗆	D:\Share\FindDublicateTest\1\Update.xml	3/20/2012 17:29	15	5 KB	
2 🔮 🗌	D:\Share\FindDublicateTest\Copy (2) Update.xml	3/20/2012 17:29	15	5 KB	Fix Problem
2 🔮 🗆	D:\Share\FindDublicateTest\Copy Update.xml	3/20/2012 17:29	15	5 KB	
2 🔮 🗌	D:\Share\FindDublicateTest\Update.xml	3/20/2012 17:29	15	5 KB	
15 2	D:\Share\FindDublicateTest\1\Conv (2) UpdateChecker eve	9/22/2011 12:49	24	ZVR T	

Search Rules

Ignore File Name - use this option to allows **S4B Disk Cleaner** to search for duplicate files regardless file name. It would be helpful, for example, when two identical mp3 tracks or video files have different names.

Category

Look for all file types - use this option to allows S4B Disk Cleaner to search duplicate files for these file types.

Look for these file types only - use this option to allows S4B Disk Cleaner to search duplicate files for these file types:

Images Audio files Video files Applications

Archives Documents

With this option you can organize your media files and increase free disk space needed to enlarge your collection.

Uninstaller

The Uninstaller category lets find and delete installing applications, stored on your PC.

The **Uninstaller** helps to uninstall software and remove unwanted or corrupted programs installed on computer, even if you have problems uninstalling and cannot uninstall them from "Windows Add or Remove Programs" control panel applet. With its advanced and fast algorithms, **Uninstaller** analyzes an application's data before uninstall and scans for remnants after the uninstall of a program

You can check the programs you want to be uninstalled with a mouse click:

Easy-to-Use				Ininstall
Safety Soft 4 Boost	TAX	Refr	esh 📃	Modify
Functionality		S .		Repair
Programs to Remove	Publisher	Install Date	Version	Size
Crade VM VirtualBox 4, 1,8	Oracle Corporation	05.12.2012	4.1.8	112 MB
🔀 Visual Studio Tools for the Office system 3.0 Runtime	Microsoft Corporation	08, 12, 2012	9.0.30729	6,78 MB
Microsoft .NET Framework 3.0 Service Pack 2	Microsoft Corporation	05.12.2012	3.2.30729	76,0 MB
🏘 Krypton Toolkit 4.4,0	Component Factory	11, 12, 2012	4.4,0	150 MB
al Visual C++ 2008 IA64 Runtime - (v9.0.30729)	Microsoft Corporation	08.12.2012	9.0.30729	0 Byte
Visual C++ 2008 x64 Runtime - (v9.0.30729)	Microsoft Corporation	08.12.2012	9.0.30729	0 Byte
👸 Microsoft Windows SDK for Visual Studio 2008 SP1 Win32 T	Microsoft Corporation	08,12,2012	6.1.5294.17011	10,0 MB
😹 Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219	Microsoft Corporation	05.12.2012	10.0.40219	11,1 MB
👫 Microsoft SQL Server Native Client	Microsoft Corporation	05.12.2012	9.00.3042.00	2,62 MB
📰 Microsoft SQL Server 2008 Management Objects	Microsoft Corporation	08.12.2012	10.0.1600.22	11,3 MB
Microsoft Device Emulator version 3.0 - ENU	Microsoft Corporation	05.12.2012	9.0.21022	2,30 MB
Microsoft .NET Framework 3.5 SP1	Microsoft Corporation	05.12.2012	3.5.30730	27,8 MB
Windows Mobile 5.0 SDK R2 for Pocket PC	Microsoft Corporation	05.12.2012	5.00.1700.5	125 MB
🔢 Microsoft SQL Server Compact 3.5 SP1 Design Tools English	Microsoft Corporation	08.12.2012	3.5.5692.0	8,60 MB
Microsoft Visual C++ 2005 Redistributable	Microsoft Corporation	05.12.2012	8.0.59193	626 KB
🚰 Microsoft Visual Studio 2008 Professional Edition - ENU	Microsoft Corporation	08, 12, 2012	9.0.30729	2,99 GB
🛃 Java(TM) 6 Update 16	Sun Microsystems, Inc.	05.12.2012	6.0.160	260 KB
Children in a second in the subsecond	Manage & Company No.	05 10 0010	4 30 3107 0	3 00 MP

With this option you can use three different modes to uninstall, modify and repair programs and never have to solve uninstall problems.

Changing the Program Settings

Settings

To change the default program settings, click the **Settings** button on the **Menu Panel.**

The General tab

Settings			×
General Junk files Temporary Internet files	Empty Folders	Toolbars and Extensions	
Application settings			
Run scanning on application launch			
Show scan results before fixing			
Shutdown computer after fixing			
Log application and its components behavior			
Select an operation:			
😳 Move to Recycle Bin			
Permanently delete (Recommended)			
Select a skin style:			
iPhone			
	ок	Cancel	

Application settings

Run scanning on application launch - use this option to perform the scanning automatically each time **S4B Disk Cleaner** is loaded.

Show scan results before fixing - use this option to avoid the auto fixing of the found problems and see the results of scanning to have the opportunity to choose which problems exactly should be fixed.

Shutdown computer after fixing - use this option to shutdown PC after fixing will be completed.

Log application and its components behavior - use this option to journalize the S4B

Disk Cleaner internal mechanism behavior including the work of its components. Sending such reports to us helps make the future releases of **S4B Disk Cleaner** even much better.

Select an operation - use this option to choose what should be done with the found temporary internet/junk files, broken shortcuts, file duplicates:

Move to Recycle Bin Permanently delete

Select a skin style - use this option to choose S4B Disk Cleaner skin style.

The Junk files tab

eneral Junk fil	es Temporary Internet files	Empty Folders	
Junk Files categ	ory settings		
Clean My Recent Documents		Clean Print Hood	
 Clean temporary files 		Clean Net Hood	
Clean Application Junk Files		Clean by junk file extensions	
 Clean System Junk Files 		Clean Thumbnail Cache	
Scan nathe			
Jacol drive			
C:\		I	i
D:\			
E:\			
F:\			•
Junk file extens	ions		
Extension	Description	l.	*
· *.\$*	Files with extensions beginning with \$		0
₹.*\$	Files with extensions ending on \$		
· *.~*	Files with extensions beginning with ~		
×.*~	Files with extensions ending on ~		
Z * two	Common temporary files		
- unp	Common temporary files		1

Clean My Recent Documents - use this option to scan for the recently used items.

Clean temporary files - use this option to scan for temporary files on system hard drive.

Clean Print Hood - use this option to scan for temporary files on Print Hood folder.

Clean system junk files - use this option to scan for junk files in Windows system folder.

Clean applications junk files - use this option to scan for some applications junk files (such as Adobe Flash Player, Oracle Java and etc. in case they are installed on your computer).

Clean Net Hood - use this option to scan for temporary files on Net Hood folder.

Clean by junk file extensions - use this option to enable the list of extensions to scan for junk files by them.

Clean Thumbnail Cache - use this option to enable the list of local drives to scan .db files. Scan path - use this option to define on which local hard drives to scan for junk files by extension or .db files.

Junk file extensions - the list of available junk file extensions.

The Temporary Internet files tab



Clean cache - use this option to scan for the browsers cache data installed on PC.

Clean History - use this option to scan for the browsers history data installed on PC.

Clean Cookies - use this option to scan for the browsers cookies data installed on PC.

The Empty Folders tab

General Junk files Temporary Internet files	Empty Folders
Unused Empty Folder category settings:	
Local drive	1
▼C:\	
✓ D:\	
✓ E:\	
✓ F:\	

Scan path - use this option to define on which local hard drives to scan for junk unused empty folders.

The Toolbars and Extensions tab

ame Alava Traffic Dank	Path
Alexa Traffic Rank	C; pocuments and Settings user. 1-/CCE/444E2A54 Local Settings App
	Delete
	Clear all
<u> </u>	

Ignore list - use this option to define which toolbars and extensions will be excluded from scanning. To delete a toolbar or extension from the **Ignore List** use the right-click menu.

Note: to add the toolbar to the ignore list, scan the **Toolbars and extensions** for problems first then click the **details** link to see the found problems and use the right-click menu **Add to Ignore List** item for a selected toolbar.